

IÄEO a DIÄE pro 1.3.5 a¼ 1.3.7

Kategorie : Konfigurace obchodu

Published by [JardaR](#) on 12. 1. 2007

Instalace IÄEO a DIÄE pro ZC 1.3.7

NovÄ© soubory ke sta¼enÄ- [ZDE](#).

novÄ© soubory

includes/languages/czech/popup_taxid_help.php
includes/languages/english/popup_taxid_help.php
includes/modules/pages/popup_taxid_help/header_php.php
includes/modules/pages/popup_taxid_help/jsript_main.php
includes/templates/template_default/popup_taxid_help/tpl_main_page.php

zmÄnÄnÄ© soubory

admin/customers.php
admin/orders.php
admin/includes/languages/czech.php
admin/includes/languages/english.php
includes/classes/order.php
includes/modules/checkout_new_address.php
includes/modules/create_account.php
includes/modules/pages/address_book_process/header_php.php
includes/templates/template_default/templates/tpl_modules_address_book_details.php
includes/templates/template_default/templates/tpl_modules_checkout_new_address.php
includes/templates/template_default/templates/tpl_modules_create_account.php
includes/languages/czech.php
includes/languages/english.php
includes/form_check.js.php
includes/filenames.php
includes/modules/pages/login/jsript_main.php

Äšprava databÄje

ALTER TABLE address_book ADD COLUMN entry_taxid varchar(10) NOT NULL default
'' AFTER entry_zone_id; ALTER TABLE address_book ADD COLUMN entry_taxid2
varchar(20) NOT NULL default '' AFTER entry_taxid; ALTER TABLE orders ADD
COLUMN entry_taxid varchar(10) NOT NULL default '' AFTER ip_address; ALTER

```
TABLE orders ADD COLUMN entry_taxid2 varchar(20) NOT NULL default '' AFTER
entry_taxid; INSERT INTO configuration VALUES ('', 'LÄÖ - minimálnÄ-
dÄ©lka', 'ENTRY_TAXID_MIN_LENGTH', '0', 'MinimálnÄ- dÄ©lka
identifikaÄnÄ-ho ÄÄ-sla organizace', 1, 3, '2004-10-15 13:27:30',
'', '0000-00-00 00:00:00', NULL, NULL); INSERT INTO configuration VALUES
('', 'DIÄÖ - minimálnÄ- dÄ©lka',
'ENTRY_TAXID2_MIN_LENGTH', '0', 'MinimálnÄ- dÄ©lka
daÄovÄ©ho identifikaÄnÄ-ho ÄÄ-sla', 1, 3, '2004-10-15 13:27:30',
'', '0000-00-00 00:00:00', NULL, NULL);
```

- [admin/customers.php](#)

NAJDÄŠTE KÄD:

```
$entry_country_id = zen_db_prepare_input($_POST['entry_country_id']);
```

A PÄIDEJTE ZA NÄŠJ TENTO:

```
$entry_taxid = zen_db_prepare_input($_POST['entry_taxid']);    $entry_taxid2 =
zen_db_prepare_input($_POST['entry_taxid2']);
```

NAJDÄŠTE KÄD:

```
['entry_country_id'] => $entry_country_id);
```

A PÄEPIÄ TE KÄDEM:

```
['entry_country_id'] => $entry_country_id,
['entry_taxid'] => $entry_taxid,          ['entry_taxid2'] =>
$entry_taxid2); if (ACCOUNT_COMPANY == 'true')
$sql_data_array['entry_taxid'] = $entry_taxid; if (ACCOUNT_COMPANY ==
'true') $sql_data_array['entry_taxid2'] = $entry_taxid2;
```

NAJDÄŠTE KÄD:

```
a.entry_company, a.entry_street_address, a.entry_suburb,
```

A PÄEPIÄ TE KÄDEM:

```
a.entry_company, a.entry_taxid, a.entry_taxid2, a.entry_street_address,
a.entry_suburb,
```

NAJDÄŠTE KÄ“D:

```
entry_company, zen_set_field_length(TABLE_ADDRESS_BOOK, &#039;entry_company&#039;,
50)) . &#039; &#039; . ENTRY_COMPANY_ERROR;    } else {    echo $cInfo->entry_company .
zen_draw_hidden_field(&#039;entry_company&#039;);    } } else {    echo
zen_draw_input_field(&#039;entry_company&#039;, $cInfo->entry_company,
zen_set_field_length(TABLE_ADDRESS_BOOK, &#039;entry_company&#039;, 50));    } ?>
```

A PÄ~IDEJTE ZA NÄŠJ TENTO:

```
entry_taxid, &#039;maxlength="25"&#039;); . &#039; &#039; .
ENTRY_TAXID_ERROR;    } else {    echo $cInfo->entry_taxid .
zen_draw_hidden_field(&#039;entry_taxid&#039;);    } } else {    echo
zen_draw_input_field(&#039;entry_taxid&#039;, $cInfo->entry_taxid, &#039;maxlength="25"&#039;,
false);    } ?>

entry_taxid2, &#039;maxlength="25"&#039;); . &#039; &#039; .
ENTRY_TAXID2_ERROR;    } else {    echo $cInfo->entry_taxid2 .
zen_draw_hidden_field(&#039;entry_taxid2&#039;);    } } else {    echo
zen_draw_input_field(&#039;entry_taxid2&#039;, $cInfo->entry_taxid2,
&#039;maxlength="25"&#039;, false);    } ?>
```

NAJDÄŠTE KÄ“D:

```
case "company":    $disp_order = "a.entry_company";    break;    case
"company-desc":    $disp_order = "a.entry_company DESC";    break;
```

A PÄ~IDEJTE ZA NÄŠJ TENTO:

```
case "taxid":    $disp_order = "a.entry_taxid";    break;    case
"taxid-desc":    $disp_order = "a.entry_taxid DESC";    break;    case "taxid2":
    $disp_order = "a.entry_taxid2";    break;    case "taxid2-desc":
$disp_order = "a.entry_taxid2 DESC";    break;
```

NAJDÄŠTE KÄ“D:

```
&#039; . TABLE_HEADING_COMPANY . &#039;&#039; :
TABLE_HEADING_COMPANY); ?>
    ">Asc&#039; : &#039;Asc&#039;); ?>    ">Desc&#039; : &#039;Desc&#039;);
?>
```

A PÄ~IDEJTE ZA NÄŠJ TENTO:

```
&#039; . TABLE_HEADING_TAXID . &#039;&#039; : TABLE_HEADING_TAXID); ?>
    ">Asc&#039; : &#039;Asc&#039;); ?>    ">Desc&#039; : &#039;Desc&#039;);
?>    &#039; . TABLE_HEADING_TAXID2 . &#039;&#039; :
TABLE_HEADING_TAXID2); ?>
```

[">Asc' : 'Asc'\); ?>](#)

[">Desc' : 'Desc'\);](#)

[?>](#)

NAJDÄŠTE KÄ“D:

\$new_fields='; c.customers_telephone, a.entry_company, a.entry_street_address,
a.entry_city, a.entry_postcode, c.customers_authorization, c.customers_referral';

A V TÄ%TO Ä~Ä•DCE NAJDÄŠTE:

a.entry_company,

A PÄ~EPIÄ TE NA:

a.entry_company, a.entry_taxid, a.entry_taxid2,

NAJDÄŠTE KÄ“D:

\$customers_query_raw = "select c.customers_id, c.customers_lastname, c.customers_firstname,
c.customers_email_address, c.customers_group_pricing, a.entry_country_id, a.entry_company,
ci.customers_info_date_of_last_login, ci.customers_info_date_account_created " . \$new_fields . "
from " . TABLE_CUSTOMERS . " c left join " . TABLE_CUSTOMERS_INFO . " ci on c.customers_id=
ci.customers_info_id left join " . TABLE_ADDRESS_BOOK . " a on c.customers_id = a.customers_id
and c.customers_default_address_id = a.address_book_id " . \$search . " order by \$disp_order";

A V TÄ%TO Ä~Ä•DCE NAJDÄŠTE:

a.entry_company,

A PÄ~EPIÄ TE NA:

a.entry_company, a.entry_taxid, a.entry_taxid2,

NAJDÄŠTE KÄ“D:

fields['entry_company']; ?>

A PÄ~IDEJTE ZA NÄŠJ TENTO:

fields['entry_taxid']; ?> fields['entry_taxid2']; ?>

[- admin/orders.php](#)

za kÄ³d

```

info[&#039;payment_module_code&#039;]) {    if (file_exists(DIR_FS_CATALOG_MODULES .
&#039;payment/&#039; . $order->info[&#039;payment_module_code&#039;] . &#039;.php&#039;)) {
    require(DIR_FS_CATALOG_MODULES . &#039;payment/&#039; .
$order->info[&#039;payment_module_code&#039;] . &#039;.php&#039;);
require(DIR_FS_CATALOG_LANGUAGES . $_SESSION[&#039;language&#039;] .
&#039;/modules/payment/&#039; . $order->info[&#039;payment_module_code&#039;] .
&#039;.php&#039;);    $module = new $order->info[&#039;payment_module_code&#039;]; //
echo $module->admin_notification($oID);    }    } ?>

```

vloÅ¾it kÃ¡d

```

Execute("select entry_taxid, entry_taxid2                from " . TABLE_ORDERS . "
        where orders_id = &#039;" . $oID . "&#039;
        "); ?>

```

pÅ™ed kÃ¡d

```

customer[&#039;telephone&#039;]; ?>

```

vloÅ¾it kÃ¡d

```

fields[&#039;entry_taxid&#039;]; ?>
fields[&#039;entry_taxid2&#039;]; ?>

```

- [admin/includes/languages/czech.php](#)
- [admin/includes/languages/english.php](#)

NAJDÄŠTE POSLEDNÄ• KÄ“D:
?>

A PÄ~IDEJTE PÄ~ED NÄŠJ TENTO:

```

// Tax ICO Number  define(&#039;ENTRY_TAXID&#039;, &#039;IÄŒO:&#039;);
define(&#039;TABLE_HEADING_TAXID&#039;, &#039;IÄŒO:&#039;); // Tax DIC Number
define(&#039;ENTRY_TAXID2&#039;, &#039;DIÄŒ:&#039;);
define(&#039;TABLE_HEADING_TAXID2&#039;, &#039;DIÄŒ:&#039;);

```

- [includes/classes/order.php](#)

za kÃ¡d

```

function order($order_id = &#039;&#039;) {    $this->info = array();    $this->totals = array();
$this->products = array();    $this->customer = array();    $this->delivery = array();    if

```

```
(zen_not_null($order_id)) { $this->query($order_id); } else { $this->cart(); } }
```

vloÅ¾it kÃ¡d

```
function zen_get_tax_address(){ global $db; switch (STORE_PRODUCT_TAX_BASIS){
//STORE_PRODUCT_TAX_BASIS case &#039;Shipping&#039;; $tax_address_query = "select
ab.entry_country_id, ab.entry_zone_id from " . TABLE_ADDRESS_BOOK . " ab left join " .
TABLE_ZONES . " z on (ab.entry_zone_id = z.zone_id) where ab.customers_id = &#039;" .
(int)$_SESSION[&#039;customer_id&#039;] . "&#039; and ab.address_book_id = &#039;" .
(int)($this->content_type == &#039;virtual&#039; ? $_SESSION[&#039;billto&#039;] :
$_SESSION[&#039;sendto&#039;]) . "&#039;"; $tax_address = $db->Execute($tax_address_query);
break; case &#039;Billing&#039;; $tax_address_query = "select ab.entry_country_id,
ab.entry_zone_id from " . TABLE_ADDRESS_BOOK . " ab left join " . TABLE_ZONES . " z on
(ab.entry_zone_id = z.zone_id) where ab.customers_id = &#039;" .
(int)$_SESSION[&#039;customer_id&#039;] . "&#039; and ab.address_book_id = &#039;" .
(int)$_SESSION[&#039;billto&#039;] . "&#039;"; $tax_address =
$db->Execute($tax_address_query); break; case &#039;Store&#039;; if
($billing_address->fields[&#039;entry_zone_id&#039;] == STORE_ZONE) { $tax_address_query =
"select ab.entry_country_id, ab.entry_zone_id from " . TABLE_ADDRESS_BOOK . " ab left join " .
TABLE_ZONES . " z on (ab.entry_zone_id = z.zone_id) where ab.customers_id = &#039;" .
(int)$_SESSION[&#039;customer_id&#039;] . "&#039; and ab.address_book_id = &#039;" .
(int)$_SESSION[&#039;billto&#039;] . "&#039;"; } else { $tax_address_query = "select
ab.entry_country_id, ab.entry_zone_id from " . TABLE_ADDRESS_BOOK . " ab left join " .
TABLE_ZONES . " z on (ab.entry_zone_id = z.zone_id) where ab.customers_id = &#039;" .
(int)$_SESSION[&#039;customer_id&#039;] . "&#039; and ab.address_book_id = &#039;" .
(int)($this->content_type == &#039;virtual&#039; ? $_SESSION[&#039;billto&#039;] :
$_SESSION[&#039;sendto&#039;]) . "&#039;"; } $tax_address =
$db->Execute($tax_address_query); } return $tax_address; }
```

tento kÃ¡d

```
function query($order_id) { global $db; $order_id = zen_db_prepare_input($order_id);
$order_query = "select customers_id, customers_name, customers_company,
customers_street_address, customers_suburb, customers_city,
customers_postcode, customers_state, customers_country, customers_telephone,
customers_email_address, customers_address_format_id, delivery_name,
delivery_company, delivery_street_address, delivery_suburb, delivery_city,
delivery_postcode, delivery_state, delivery_country, delivery_address_format_id,
billing_name, billing_company,
```

pÅ™epsat kÃ¡dem

```
function query($order_id) { global $db; $order_id = zen_db_prepare_input($order_id);
$order_query = "select customers_id, customers_name, customers_company,
customers_street_address, customers_suburb, customers_city,
customers_postcode, customers_state, customers_country, customers_telephone,
customers_email_address, customers_address_format_id, delivery_name,
delivery_company, delivery_street_address, delivery_suburb, delivery_city,
```

delivery_postcode, delivery_state, delivery_country, delivery_address_format_id,
billing_name, billing_company, entry_taxid, entry_taxid2,

pÅ™ed tento kÃ³d

```
$this->info = array(&#039;currency&#039; => $order->fields[&#039;currency&#039;],  
    &#039;currency_value&#039; => $order->fields[&#039;currency_value&#039;],  
    &#039;payment_method&#039; => $order->fields[&#039;payment_method&#039;],  
    &#039;payment_module_code&#039; => $order->fields[&#039;payment_module_code&#039;],  
    &#039;shipping_method&#039; => $order->fields[&#039;shipping_method&#039;],  
    &#039;shipping_module_code&#039; => $order->fields[&#039;shipping_module_code&#039;],  
    &#039;coupon_code&#039; => $order->fields[&#039;coupon_code&#039;],  
    &#039;cc_type&#039; => $order->fields[&#039;cc_type&#039;],  
    &#039;cc_owner&#039; => $order->fields[&#039;cc_owner&#039;],  
    &#039;cc_number&#039; => $order->fields[&#039;cc_number&#039;],  
    &#039;cc_expires&#039; => $order->fields[&#039;cc_expires&#039;],  
    &#039;date_purchased&#039; => $order->fields[&#039;date_purchased&#039;],  
    &#039;orders_status&#039; => $order->fields[&#039;orders_status_name&#039;],  
    &#039;last_modified&#039; => $order->fields[&#039;last_modified&#039;],  
    &#039;total&#039; => $order->fields[&#039;order_total&#039;], &#039;tax&#039; =>  
    $order->fields[&#039;order_tax&#039;], &#039;ip_address&#039; =>  
    $order->fields[&#039;ip_address&#039;]);
```

vloÅ¼it kÃ³d

```
$tax_adress = $this->zen_get_tax_address();
```

tento kÃ³d

```
$this->customer = array(&#039;id&#039; => $order->fields[&#039;customers_id&#039;],  
    &#039;name&#039; => $order->fields[&#039;customers_name&#039;],  
    &#039;company&#039; => $order->fields[&#039;customers_company&#039;],  
    &#039;street_address&#039; => $order->fields[&#039;customers_street_address&#039;],
```

pÅ™epsat kÃ³dem

```
$this->customer = array(&#039;id&#039; => $order->fields[&#039;customers_id&#039;],  
    &#039;name&#039; => $order->fields[&#039;customers_name&#039;],  
    &#039;company&#039; => $order->fields[&#039;customers_company&#039;],  
    &#039;entry_taxid&#039; => $order->fields[&#039;entry_taxid&#039;],  
    &#039;entry_taxid2&#039; => $order->fields[&#039;entry_taxid2&#039;],  
    &#039;street_address&#039; => $order->fields[&#039;customers_street_address&#039;],
```

tento kÃ³d

```
$this->billing = array(&#039;name&#039; => $order->fields[&#039;billing_name&#039;],
```

```

        &#039;company&#039; => $order->fields[&#039;billing_company&#039;],
        &#039;street_address&#039; => $order->fields[&#039;billing_street_address&#039;],

```

pÅ™epsat kÅ™dem

```

        $this->billing = array(&#039;name&#039; => $order->fields[&#039;billing_name&#039;],
        &#039;company&#039; => $order->fields[&#039;billing_company&#039;],
        &#039;entry_taxid&#039; => $order->fields[&#039;_entry_taxid&#039;],
        &#039;entry_taxid2&#039; => $order->fields[&#039;_entry_taxid2&#039;],
        &#039;street_address&#039; => $order->fields[&#039;billing_street_address&#039;],

```

tento kÅ™d

```

function cart() {    global $db, $currencies;    $this->content_type =
$_SESSION[&#039;cart&#039;]->get_content_type();    $customer_address_query = "select
c.customers_firstname, c.customers_lastname, c.customers_telephone,
c.customers_email_address, ab.entry_company, ab.entry_street_address,

```

pÅ™epsat kÅ™dem

```

function cart() {    global $db, $currencies;    $this->content_type =
$_SESSION[&#039;cart&#039;]->get_content_type();    $customer_address_query = "select
c.customers_firstname, c.customers_lastname, c.customers_telephone,
c.customers_email_address, ab.entry_company, ab.entry_taxid, ab.entry_taxid2,
ab.entry_street_address,

```

tento kÅ™d

```

        $billing_address_query = "select ab.entry_firstname, ab.entry_lastname, ab.entry_company,
        ab.entry_street_address, ab.entry_suburb, ab.entry_postcode,
ab.entry_city, ab.entry_zone_id, z.zone_name, ab.entry_country_id,

```

pÅ™epsat kÅ™dem

```

        $billing_address_query = "select ab.entry_firstname, ab.entry_lastname, ab.entry_company,
ab.entry_taxid, ab.entry_taxid2,                                ab.entry_street_address, ab.entry_suburb,
ab.entry_postcode,                                ab.entry_city, ab.entry_zone_id, z.zone_name,
ab.entry_country_id,

```

tento kÅ™d

```

        switch (STORE_PRODUCT_TAX_BASIS) {    case &#039;Shipping&#039;:
$tax_address_query = "select ab.entry_country_id, ab.entry_zone_id                from " .
TABLE_ADDRESS_BOOK . " ab                left join " . TABLE_ZONES . " z on
(ab.entry_zone_id = z.zone_id)                where ab.customers_id = &#039;" .
(int)$_SESSION[&#039;customer_id&#039;] . "&#039;                and ab.address_book_id =

```

```

' . (int)($this->content_type == 'virtual' ? $_SESSION['billto'] :
$_SESSION['sendto']) . "'; $tax_address =
$db->Execute($tax_address_query); break; case 'Billing':
$tax_address_query = "select ab.entry_country_id, ab.entry_zone_id          from " .
TABLE_ADDRESS_BOOK . " ab          left join " . TABLE_ZONES . " z on
(ab.entry_zone_id = z.zone_id)          where ab.customers_id = " .
(int)$_SESSION['customer_id'] . "'; and ab.address_book_id =
' . (int)$_SESSION['billto'] . "'; $tax_address =
$db->Execute($tax_address_query); break; case 'Store': if
($billing_address->fields['entry_zone_id'] == STORE_ZONE) {
$tax_address_query = "select ab.entry_country_id, ab.entry_zone_id          from " .
TABLE_ADDRESS_BOOK . " ab          left join " . TABLE_ZONES . " z on
(ab.entry_zone_id = z.zone_id)          where ab.customers_id = " .
(int)$_SESSION['customer_id'] . "'; and ab.address_book_id
= " . (int)$_SESSION['billto'] . "'; } else { $tax_address_query =
"select ab.entry_country_id, ab.entry_zone_id          from " .
TABLE_ADDRESS_BOOK . " ab          left join " . TABLE_ZONES . " z on
(ab.entry_zone_id = z.zone_id)          where ab.customers_id = " .
(int)$_SESSION['customer_id'] . "'; and ab.address_book_id
= " . (int)($this->content_type == 'virtual' ? $_SESSION['billto'] :
$_SESSION['sendto']) . "'; } $tax_address =
$db->Execute($tax_address_query); }

```

padding kadem

```

// TVA_INTRACOM REPLACE BEGIN $tax_address = $this->zen_get_tax_address(); //
TVA_INTRACOM REPLACE END

```

za tento kd

```

$this->customer = array('firstname' =>
$customer_address->fields['customers_firstname'],
'lastname' => $customer_address->fields['customers_lastname'],
'company' => $customer_address->fields['entry_company'],

```

vložit kd

```

'entry_taxid' => $billing_address->fields['entry_taxid'],
'entry_taxid2' => $billing_address->fields['entry_taxid2'],

```

za tento kd

```

$this->billing = array('firstname' =>
$billing_address->fields['entry_firstname'],          'lastname' =>
$billing_address->fields['entry_lastname'],          'company' =>
$billing_address->fields['entry_company'],

```

vloÅ¾it kÃ¡d

```
&#039;entry_taxid&#039; => $billing_address->fields[&#039;entry_taxid&#039;],  
&#039;entry_taxid2&#039; => $billing_address->fields[&#039;entry_taxid2&#039;],
```

za tento kÃ¡d

```
$sql_data_array = array(&#039;customers_id&#039; => $_SESSION[&#039;customer_id&#039;],  
                        &#039;customers_name&#039; => $this->customer[&#039;firstname&#039;] .  
&#039; &#039; . $this->customer[&#039;lastname&#039;],  
&#039;customers_company&#039; => $this->customer[&#039;company&#039;],
```

vloÅ¾it kÃ¡d

```
&#039;entry_taxid&#039; => $this->billing[&#039;entry_taxid&#039;],  
&#039;entry_taxid2&#039; => $this->billing[&#039;entry_taxid2&#039;],
```

[- includes/modules/checkout_new_address.php](#)

NAJDÄŠTE KÃ¡D:

```
if (ACCOUNT_GENDER == &#039;true&#039;) $gender =  
zen_db_prepare_input($_POST[&#039;gender&#039;]); if (ACCOUNT_COMPANY ==  
&#039;true&#039;) $company = zen_db_prepare_input($_POST[&#039;company&#039;]);
```

A PÅ~IDEJTE ZA NÄŠJ TENTO:

```
if (ACCOUNT_COMPANY == &#039;true&#039;) $taxid =  
zen_db_prepare_input($_POST[&#039;taxid&#039;]); if (ACCOUNT_COMPANY ==  
&#039;true&#039;) $taxid2 = zen_db_prepare_input($_POST[&#039;taxid2&#039;]);
```

NAJDÄŠTE KÃ¡D:

```
if (ACCOUNT_GENDER == &#039;true&#039;) $sql_data_array[] =  
array(&#039;fieldName&#039;=>&#039;entry_gender&#039;, &#039;value&#039;=>$gender,  
&#039;type&#039;=>&#039;enum:m|f&#039;); if (ACCOUNT_COMPANY == &#039;true&#039;)  
$sql_data_array[] = array(&#039;fieldName&#039;=>&#039;entry_company&#039;,  
&#039;value&#039;=>$company, &#039;type&#039;=>&#039;string&#039;);
```

A PÅ~IDEJTE ZA NÄŠJ TENTO:

```
if (ACCOUNT_COMPANY == &#039;true&#039;) $sql_data_array[] =  
array(&#039;fieldName&#039;=>&#039;entry_taxid&#039;, &#039;value&#039;=>$taxid,  
&#039;type&#039;=>&#039;string&#039;); if (ACCOUNT_COMPANY == &#039;true&#039;)  
$sql_data_array[] = array(&#039;fieldName&#039;=>&#039;entry_taxid2&#039;,  
&#039;value&#039;=>$taxid2, &#039;type&#039;=>&#039;string&#039;);
```

- includes/modules/create_account.php

NAJDÄŠTE KÄ“D:

```
if (ACCOUNT_COMPANY == &#039;true&#039;) $company =  
zen_db_prepare_input($_POST[&#039;company&#039;]);
```

A PÄ~IDEJTE ZA NÄŠJ TENTO:

```
if (ACCOUNT_COMPANY == &#039;true&#039;) $taxid =  
zen_db_prepare_input($_POST[&#039;taxid&#039;]); if (ACCOUNT_COMPANY ==  
&#039;true&#039;) $taxid2 = zen_db_prepare_input($_POST[&#039;taxid2&#039;]);
```

NAJDÄŠTE KÄ“D:

```
&#039;entry_country_id&#039; => $country);
```

A PÄ~EPIÄ TE TÄ•MTO KÄ“DEM:

```
&#039;entry_country_id&#039; => $country,  
&#039;entry_taxid&#039; => $taxid, &#039;entry_taxid2&#039; => $taxid2); if  
(ACCOUNT_COMPANY == &#039;true&#039;) $sql_data_array[&#039;entry_taxid&#039;] = $taxid;  
if (ACCOUNT_COMPANY == &#039;true&#039;) $sql_data_array[&#039;entry_taxid2&#039;] =  
$taxid2;
```

- includes/modules/pages/address_book_process/header_php.php

NAJDÄŠTE KÄ“D:

```
if (ACCOUNT_GENDER == &#039;true&#039;) $gender =  
zen_db_prepare_input($_POST[&#039;gender&#039;]); if (ACCOUNT_COMPANY ==  
&#039;true&#039;) $company = zen_db_prepare_input($_POST[&#039;company&#039;]);
```

A PÄ~IDEJTE ZA NÄŠJ TENTO:

```
if (ACCOUNT_COMPANY == &#039;true&#039;) $taxid =  
zen_db_prepare_input($_POST[&#039;taxid&#039;]); if (ACCOUNT_COMPANY ==  
&#039;true&#039;) $taxid2 = zen_db_prepare_input($_POST[&#039;taxid2&#039;]);
```

NAJDÄŠTE KÄ“D:

```
if (ACCOUNT_GENDER == &#039;true&#039;) $sql_data_array[] =  
array(&#039;fieldName&#039;=>&#039;entry_gender&#039;, &#039;value&#039;=>$gender,  
&#039;type&#039;=>&#039;enum:m|f&#039;); if (ACCOUNT_COMPANY == &#039;true&#039;)
```

```
$sql_data_array[] = array('fieldName'=>'entry_company',  
'value'=>$company, 'type'=>'string');
```

A PÅÍDEJTE ZA NÁŠJ TENTO:

```
if (ACCOUNT_COMPANY == 'true') $sql_data_array[] =  
array('fieldName'=>'entry_taxid', 'value'=>$taxid,  
'type'=>'string'); if (ACCOUNT_COMPANY == 'true')  
$sql_data_array[] = array('fieldName'=>'entry_taxid2',  
'value'=>$taxid2, 'type'=>'string');
```

NAJDĚŠTE KĀD:

```
if (isset($_GET['edit']) && is_numeric($_GET['edit'])) { $entry_query =  
"SELECT entry_gender, entry_company, entry_firstname, entry_lastname,  
entry_street_address, entry_suburb, entry_postcode, entry_city, entry_state,  
entry_zone_id, entry_country_id
```

A POSLEDNĀ ĀĀDKU ZMĀŠĀTE NA:

```
entry_state, entry_zone_id, entry_country_id, entry_taxid, entry_taxid2
```

[- includes/templates/template_default/templates/tpl_modules_address_book_details.php](#)

NAJDĚŠTE KĀD:

```
fields['entry_company'], 'id'='company') .  
(zen_not_null(ENTRY_COMPANY_TEXT) ? ' : ENTRY_COMPANY_TEXT . '  
' : ' ?>
```

A PÅÍDEJTE ZA NÁŠJ TENTO:

```
fields['entry_taxid'], 'id'='taxid') . (zen_not_null(ENTRY_TAXID_TEXT) ?  
' : ENTRY_TAXID_TEXT . '  
fields['entry_taxid2'], 'id'='taxid2') .  
(zen_not_null(ENTRY_TAXID2_TEXT) ? ' : ENTRY_TAXID2_TEXT . '  
' : ' ?>
```

[- includes/templates/template_default/templates/tpl_modules_checkout_new_address.php](#)

NAJDĚŠTE KĀD:

```
' : ENTRY_COMPANY_TEXT . '  
' : ' ?>
```

A PŘÍDEJTE ZA NÁŠJ TENTO KÁD:

```
&#039; . ENTRY_TAXID_TEXT . &#039;&#039;; &#039;&#039;); ?>
&#039; . ENTRY_TAXID2_TEXT . &#039;&#039;; &#039;&#039;); ?>
```

- [includes/templates/template_default/templates/tpl_modules_create_account.php](#)

NAJDĚŠTE KÁD:

```
&#039; . ENTRY_COMPANY_TEXT . &#039;&#039;; &#039;&#039;); ?>
```

A PŘÍPÍŤE TĚMTO KÁDEM:

```
&#039; . ENTRY_COMPANY_TEXT . &#039;&#039;; &#039;&#039;); ?>
&#039; . ENTRY_TAXID_TEXT . &#039;&#039;; &#039;&#039;); ?>
&#039; . ENTRY_TAXID2_TEXT . &#039;&#039;; &#039;&#039;); ?>
```

- [includes/languages/czech.php](#)

NÁŠKAM VLOŽTE KÁD:

```
// Tax Id Number define(&#039;ENTRY_TAXID&#039;, &#039;IČEO:&#039;);
define(&#039;ENTRY_TAXID_TEXT&#039;, &#039;např. 12345678&#039;);
define(&#039;ENTRY_TAXID2&#039;, &#039;DIČE:&#039;);
define(&#039;ENTRY_TAXID2_TEXT&#039;, &#039;např. CZ12345678&#039;);
define(&#039;JS_TAXID&#039;, &#039;* IČEO musí obsahovat nejmně &#039;
ENTRY_TAXID_MIN_LENGTH . &#039; znaků. n&#039;); define(&#039;JS_TAXID&#039;,
&#039;* DIČE musí obsahovat nejmně &#039; ENTRY_TAXID2_MIN_LENGTH . &#039;
znaků. n&#039;); define(&#039;ENTRY_TAXID_ERROR&#039;, &#039;Vložte prosím Vaše
IČEO - min. dvě lka &#039; ENTRY_TAXID_MIN_LENGTH . &#039; znaků. &#039;);
define(&#039;ENTRY_TAXID2_ERROR&#039;, &#039;Vložte prosím Vaše DIČE - min. dvě lka
&#039; ENTRY_TAXID2_MIN_LENGTH . &#039; znaků. &#039;);
define(&#039;TEXT_TAXID_HELP_LINK&#039;, &#039;Help [?]&#039;);
define(&#039;TEXT_TAXID2_HELP_LINK&#039;, &#039;Help [?]&#039;);
```

- [includes/languages/english.php](#)

NÁŠKAM VLOŽTE KÁD:

```
// Tax Id Number define(&#039;ENTRY_TAXID&#039;, &#039;Tax ID Number:&#039;);
define(&#039;ENTRY_TAXID_TEXT&#039;, &#039;ex. 12345678&#039;);
define(&#039;ENTRY_TAXID2&#039;, &#039;Tax ID2 Number:&#039;);
define(&#039;ENTRY_TAXID2_TEXT&#039;, &#039;ex. CZ12345678&#039;);
define(&#039;JS_TAXID&#039;, &#039;* The Tax ID entry must have at least &#039;
ENTRY_TAXID_MIN_LENGTH . &#039; characters. n&#039;); define(&#039;JS_TAXID&#039;,
```

```
&#039;* The Tax ID2 entry must have at least &#039;. ENTRY_TAXID2_MIN_LENGTH . &#039;
characters. n&#039;); define(&#039;ENTRY_TAXID_ERROR&#039;,&#039;Please Enter Your Tax
ID Number - Min length &#039;. ENTRY_TAXID_MIN_LENGTH . &#039; characters.&#039;);
define(&#039;ENTRY_TAXID2_ERROR&#039;,&#039;Please Enter Your Tax ID2 Number - Min
length &#039;. ENTRY_TAXID2_MIN_LENGTH . &#039; characters.&#039;);
define(&#039;TEXT_TAXID_HELP_LINK&#039;,&#039;Help [?]&#039;);
define(&#039;TEXT_TAXID2_HELP_LINK&#039;,&#039;Help [?]&#039;);
```

- [includes/form_check.js.php](#)

NAJDÄŠTE KÄ“D:

A PÄ~IDEJTE ZA NÄŠJ TENTO:

```
check_input("taxid", , ""); check_input("taxid2", , "");
```

- [includes/filenames.php](#)

NAJDÄŠTE KÄ“D:

```
define(&#039;FILENAME_POPUP_CVV_HELP&#039;,&#039;popup_cvv_help&#039;);
```

A PÄ~IDEJTE ZA NÄŠJ TENTO:

```
define(&#039;FILENAME_POPUP_TAXID_HELP&#039;,&#039;popup_taxid_help&#039;);
```

- [includes/modules/pages/login/jscript_main.php](#)

NA KONCI NAJDÄŠTE:

```
//-->
```

A PÄ~ED TO VLOÄ½TE:

```
function popupWindow(url) {
window.open(url,&#039;popupWindow&#039;,&#039;toolbar=no,location=no,directories=no,status=n
o,menubar=no,scrollbars=yes,resizable=yes,copyhistory=no,width=450,height=280,screenX=150,scr
eenY=150,top=150,left=150&#039;); }
```

***** ZatÄ-m vÄje *****
